

In cooperation with

Crop Progress & Condition Report

National Agricultural Statistics Service

Released: 3:00 P.M., April 12, 2010

Phone: 601-965-4575 Facsimile: 601-965-5622 www.nass.usda.gov/ms/ nass-ms@nass.usda.gov

Mississippi Department of Agriculture and Commerce

Week ending April 11, 2010

According to the National Agricultural Statistics Service in Mississippi, there were 5.0 days suitable for fieldwork for the week ending Sunday, April 11, 2010. Most of the state had a warm, dry week resulting in a significant increase in corn emerged. Many growers took advantage of favorable weather conditions to catch up on fieldwork. Soil moisture was rated 1 percent very short, 5 percent short, 77 percent adequate and 17 percent surplus.

Crop progress for week	Very week week year avera Percent Percent Percent Percent Percent											
Crop				5-year average								
	Percent	Percent	Percent	Percent								
Corn, planted	75	55	76	75								
Corn, emerged	49	15	49	56								
Hay-Cool Season, harvested	13	8	9	6								
Rice, planted	13	10	13	12								
Rice, emerged	3	0	1	2								
Sorghum, planted	8	0	3	8								
Soybeans, planted	10	6	11	20								
Soybeans, emerged	3	0	2	8								
Watermelons, planted	49	40	49	50								
Winter Wheat, jointing	82	68	85	90								
Winter Wheat, heading	1	0	35	32								

Crop condition for week ending April 11, 2010											
Item	Very poor	Poor	Fair	Good	Excellent						
	Percent	Percent	Percent	Percent	Percent						
Blueberries	2	0	9	84	5						
Corn	0	0	36	61	3						
Livestock	3	16	29	43	9						
Pasture	2	16	35	37	10						
Watermelons	0	0	1	99	0						
Winter Wheat	0	8	34	49	9						

Watermelons, planted	49	40	49	50	
Winter Wheat, jointing	82	68	85	90	
Winter Wheat, heading	1	0	35	32	
		,			
				Com	ments
•	•		_		g yet. Some early planted soybeans have recently emerged. remaining crops in the ground."
					— Charlie Bush, Bolivar
"Dry conditions will allow g We might plant some cotton		_	back is	n the fiel	d today or tomorrow to plant more corn, soybeans and rice.
					— Don Respess, Coahoma
"Producers had a couple of d	lays to	apply t	ourndo	wn herbi	cides to fields."
					— Melvin Oatis, Benton
_		-	-		bed everything. We may be able to get back in late in the our good days and we would be finished on the corn."
					— Stephen R. Winters, Grenada
"Field activities have increas	sed due	to the	increas	se in dry	weather."
					— Patrick Poindexter Alcorn
"Growers in Central MS are	finally	y gettin	ig a ch	ance to	make significant progress with fieldwork. Most of the corn

will be planted within the next 7 to 10 days if good weather prevails. By that time, I expect that some growers will begin planting other crops as well."

— Ernest Flint, Attala

"A week without rain was a blessing for all of us. Pastures, gardens, hay fields, row crop fields, and lawns are getting to the point that some work can get done in them."

- Houston Therrell, Rankin

"Mississippi River was to have crested over the weekend. Several acres are under water along the river."

- Ann H. Davis, Wilkinson

Growers will resume field operations today. Warm weather will allow a lot of planting this week."
— Don Respess, Quitman
"We had a few good days of fieldwork early in the week. Mostly corn and soybeans planted right now. We've at least had time to get the groundwork done for cotton and rice."
— Jimbo Burkhalter Tallahatchie
"It only rained in the early hours on one day in Itawamba County this past week."
— Romona Edge, Itawamba
"Drier conditions allowed fieldwork to begin. Corn and soybean planting has been delayed by cool soil temperatures."
— Jay Phelps, Pontotoc
"Slow week due to wet weather."
— Jerry Singleton, Leflore
"Some fieldwork started late in the week but only west of Highway 49 in the southern part of the county. Corn is growing. Soybeans are emerging."
— Tommy Baird, Sunflower
"Rain has slowed planting and fieldwork this week."
Lester Stephens, Washington
"Corn planting is going and a few soybeans were planted this week. Field prep is progressing well for sweet potato and cotton acreage."
— Bill Burdine, Chickasaw
"Row crop farmers have planted the majority of corn acres this past week in Clay County with only low lying areas having not been planted but with the predictions of dry weather this coming week they should be able to get all corn planted."
— Reid Nevins, Clay
"Almost all the corn in my area is planed and emerged. The farmers are focusing on getting the bean crop planted now. The rain held off for the most part this week and that allowed us to spend some time in the fields planting seeds. The corn and soybeans that have been planted and emerged look pretty good for the most part."
— Bill Maily, Hinds
"Commercial vegetable crops are doing well and 100% of commercial tomato crop is set out. Winter forages doing well."
— Tommy Bishop, Jasper
"Mostly good field conditions. Fruit growers hope all chances of frost are past."
Wayne Porter, Lauderdale
"This past week had perfect conditions for fieldwork. Soybeans, corn, watermelons, and peanuts continue to be planted. Bees are intensively working blueberry fields. Blueberry growers are beginning to feel a sigh of relief as we are past frost date. Pastures and hay fields are responding well to the warmer day and nighttime temperatures."
— Allen McReynolds, Wayne

Division/Station		M	lississip	pi Wea	ther Sum	mary f	or Week	Ending Ap	ril 11, 201	10				
Cipper Debia	Division/Station	Air Temperature					Precipitation							Avg Plan
Clarksdale	Division/Station	Max	Min	Avg	Norm	DFN		DFN			Max	Min	Avg	Evap
Charkshale	Upper Delta													
Lambert W	Clarksdale	82	42	63	60	3			1					
Tunica 2N	Cleveland			_	61	3	0.75		1					
Exterme/Average 83														
North-Central Caliboun City S5 38 64 59 5 0.71 0.062 1 3.52			44	65	60				2					
Calhou City		83	41	64	61	3	0.75	-0.56	1	3.01				
Hickory Flair Holly Springs 4N 85 32 61 56 5 087 0039 1 457 1 10dependence 83 36 62 58 4 087 0-25 1 1 3,90 0Xford 885 37 64 58 6 0,72 0-049 1 1 4,95 0Xford Water Valley 84 37 61 59 2 0,70 -0,63 1 1 2,93 Extreme/Average 85 32 02 59 3 0.81 -0.46 1 1 4,12 1 80 80-0xinh 75W 83 38 62 02 58 84 0,63 0-75 0-76 3 0.81 -0.46 1 1 4,12 1 80 80-0xinh 75W 83 38 62 06 02 0,75 0,-047 1 3,67 1 1 3,67 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		05	20	61	50	5	0.71	0.62	1	2 52				
Holly Springs AN	•													
Independence				_										
Oxford 85 37 64 58 6 0.72 -0.49 1 4.95														
Water Valley				-										
Extreme/Average				_										
Northeast				_										
Boneville	_	0.5	32	02	37		0.01	0.40	1	7.12				
Corinth TSW		83	36	62	58	4	0.63	-0.59	2	3.91				
Inka				_										
Tupelo 2 79 43 662 5 0.35 -0.78 1 2.95 Pontotoc Exp Stn 85 38 63 59 4 0.55 -0.78 1 3.44 Verona 86 41 64 59 5 0.35 -0.91 1 2.81 Extreme/Average 86 31 62 59 3 0.51 -0.75 1 3.81 Belzoni 84 44 66 61 5 0.37 -0.97 1 2.03 Moorhead 84 44 66 62 4 0.38 -0.95 1 2.63 Rolling Fork 86 43 67 61 6 0.64 -0.70 1 2.53 Vazoo City SNNE 86 43 67 61 6 0.64 -0.70 1 2.53 Fixteme/Average 86 43 67 62 5 0.46 -0.87 1 2.40 Extreme/Average 86 63 67 62 5 0.46 -0.87 1 2.40 Central Canion 4N 84 39 65 62 6 0.46 -0.87 1 2.40 Extreme/Average 86 63 66 63 59 4 0.27 -1.08 1 1.49 Forest 3S 85 38 64 61 3 0.87 -0.55 1 3.80 Kosciusko 86 40 64 60 4 0.30 -1.08 1 3.79 Winona SE 83 35 64 61 3 0.49 -0.91 1 3.72 Extreme/Average 86 40 63 59 4 0.50 -0.77 1 3.57 Extreme/Average 88 40 65 61 4 0.51 -0.77 1 1 1.66 Columbus 87 45 67 61 6 0.56 -0.77 1 3.16 State University 88 41 64 60 4 0.77 -0.87 1 2.67 Extreme/Average 88 40 65 61 4 0.51 -0.84 1 2.50 Southwest Brookhaven City 84 38 62 60 63 59 -4 0.50 -0.77 1 2.48 Brookhaven City 84 38 62 60 63 59 -4 0.50 -0.77 1 1 1.66 Columbus 87 45 67 61 6 0.56 -0.77 1 1 1.63 Southwest Brookhaven City 84 38 62 60 62 0 0.25 -1.24 1 1.19 Crystal SPRG Exp 87 38 66 61 5 0.50 -0.97 1 2.84 Port Gibson INE 86 38 65 60 5 0.36 -1.04 1 2.24 Vicksburg 84 45 67 64 1 0.11 -1.36 1 1.87 Oakley Exp 87 38 66 61 5 0.50 -0.97 1 2.84 Port Gibson INE 86 38 65 60 5 0.36 -1.43 1 0.93 Extreme/Average 88 37 65 63 2 0.28 -1.17 1 2.12 Southwest Columbia 86 43 67 63 4 1.05 -0.36 1 2.57 Monticello 88 37 65 63 2 0.28 -1.17 1 0.81 Extreme/Average 88 37 65 62 2 0.00 -1.32 0 1.60 Extreme/Average 88 37 65 63 2 0.00 -1.32 1 0.08 Extreme/Average 88 37 65 64 1 1.01 1.00 -0.75 1 1 0.81 Extreme/Average 88 37 65 62 2 0.00 -1.13 1 1.66 Nutchest Ratio				-										
Pontotoc Exp Stin														
Verona					59	4		-0.78						
Extreme/Average		86	41	64	59		0.35	-0.91	1	2.81				
Belzoni	Extreme/Average	86	31	62	59				1					
Moorhead 84	Lower Delta													
Rolling Fork Yazoo City SNNE Roscitusko Rosc	Belzoni	84	44	66	61	5	0.37	-0.97	1	2.03				
Yazoo City 5NNE	Moorhead	84	44	66	62	4	0.38	-0.95	1	2.63				
Extreme/Average	Rolling Fork	86	43	67	61	6	0.64	-0.70	1	2.53				
Central	Yazoo City 5NNE	86	43	68	62	6	0.46	-0.98	1	1.91				
Canton 4N	Extreme/Average	86	43	67	62	5	0.46	-0.87	1	2.40				
Eupora 2E	Central													
Forest 3S														
Nonciusko														
Winona 5E				-	_									
Extreme/Average				-										
East-Central Aberdeen				-										
Aberdeen	<u> </u>	86	35	64	61	3	0.49	-0.91	1	3.72				
Columbus		9.6	40	(2	50	4	0.50	0.77	1	1.00				
State University 88														
Extreme/Average 88														
Southwest Brookhaven City 84 38 62 62 0 0.25 -1.24 1 1.19 Crystal SPRG Exp 84 41 66 63 3 0.19 -1.28 1 1.63 Natchez 83 31 65 64 1 0.11 -1.36 1 1.87 Oakley Exp 87 38 66 61 5 0.50 -0.97 1 2.84 Port Gibson 1NE 86 38 65 60 5 0.36 -1.04 1 2.43 Vicksburg 84 45 67 0.49 1 2.53 Woodville 4ESE 83 41 67 64 3 0.05 -1.43 1 0.93 Extreme/Average 87 31 65 63 2 0.28 -1.17 1 2.12 South-Central Collins 83 40 64 62 2 0.00 -1.32 0 1.60 Columbia 86 43 67 63 4 1.05 -0.36 1 2.57 Monticello 88 40 67 62 5 0.80 -0.67 1 0.80 Raleigh 6N 83 37 63 Extreme/Average 88 37 65 63 2 0.65 -0.75 1 1.66 Southeast Hattiesburg 85 42 64 62 2 0.09 -1.13 1 1.60 Newton Exp 83 39 63 60 3 0.95 -0.52 1 3.41 Waynesboro 2W 86 41 66 62 4 1.77 0.66 1 2.99 Extreme/Average 86 39 65 62 3 1.04 -0.27 1 3.11														
Brookhaven City Crystal SPRG Exp R4 41 66 63 3 0.19 -1.28 1 1.63 Natchez R3 31 65 64 1 0.11 -1.36 1 1.87 Oakley Exp Port Gibson INE R6 38 65 60 5 0.36 -1.04 1 2.43 Vicksburg R4 45 67 Woodville 4ESE R5 31 65 63 2 0.28 -1.17 1 2.12 South-Central Collins R3 40 64 62 2 0.00 -1.32 0 1.60 Columbia R6 43 67 63 4 1.05 -0.36 1 2.57 Monticello R8 40 67 62 5 0.80 -0.67 1 0.80 Raleigh 6N R3 37 63 Extreme/Average R8 37 65 63 2 0.65 -0.75 1 1.66 Southeast Hattiesburg R5 42 65 64 1 1.36 0.03 1 4.45 Laurel R8 39 63 60 3 0.95 -0.52 1 3.41 Waynesboro 2W R6 41 66 62 4 1.77 0.66 1 2.99 Extreme/Average R6 39 65 62 3 1.04 -0.27 1 3.11		00	40	0.5	01	4	0.51	-0.04	1	2.30				
Crystal SPRG Exp 84 41 66 63 3 0.19 -1.28 1 1.63 Natchez 83 31 65 64 1 0.11 -1.36 1 1.87 Oakley Exp 87 38 66 61 5 0.50 -0.97 1 2.84 Port Gibson INE 86 38 65 60 5 0.36 -1.04 1 2.43 Vicksburg 84 45 67 0.49 1 2.53 Woodville 4ESE 83 41 67 64 3 0.05 -1.43 1 0.93 Extreme/Average 87 31 65 63 2 0.28 -1.17 1 2.12 South-Central Collins 83 40 64 62 2 0.00 -1.32 0 1.60 Columbia 86 43 67 63 4 1.05 -0.36 1 </td <td></td> <td>84</td> <td>38</td> <td>62</td> <td>62</td> <td>0</td> <td>0.25</td> <td>-1 24</td> <td>1</td> <td>1 10</td> <td></td> <td></td> <td></td> <td></td>		84	38	62	62	0	0.25	-1 24	1	1 10				
Natchez 83 31 65 64 1 0.11 -1.36 1 1.87 Oakley Exp 87 38 66 61 5 0.50 -0.97 1 2.84 Port Gibson 1NE 86 38 65 60 5 0.36 -1.04 1 2.43 Vicksburg 84 45 67 0.49 1 2.53 Woodville 4ESE 83 41 67 64 3 0.05 -1.43 1 0.93 Extreme/Average 87 31 65 63 2 0.28 -1.17 1 2.12 South-Central Collins 83 40 64 62 2 0.00 -1.32 0 1.60 Collins 86 43 67 63 4 1.05 -0.36 1 2.57 Monticello 88 40 67 62 5 0.80 -0.67				-										
Oakley Exp 87 38 66 61 5 0.50 -0.97 1 2.84 Port Gibson 1NE 86 38 65 60 5 0.36 -1.04 1 2.43 Vicksburg 84 45 67 0.49 1 2.53 Woodville 4ESE 83 41 67 64 3 0.05 -1.43 1 0.93 Extreme/Average 87 31 65 63 2 0.28 -1.17 1 2.12 South-Central Collins 83 40 64 62 2 0.00 -1.32 0 1.60 Columbia 86 43 67 63 4 1.05 -0.36 1 2.57 Monticello 88 40 67 62 5 0.80 -0.67 1 0.80 Raleigh 6N 83 37 65 63 2 0.65 -0.75														
Port Gibson 1NE 86 38 65 60 5 0.36 -1.04 1 2.43 Vicksburg 84 45 67 0.49 1 2.53 Woodville 4ESE 83 41 67 64 3 0.05 -1.43 1 0.93 Extreme/Average 87 31 65 63 2 0.28 -1.17 1 2.12 South-Central Collins 83 40 64 62 2 0.00 -1.32 0 1.60 Columbia 86 43 67 63 4 1.05 -0.36 1 2.57 Monticello 88 40 67 62 5 0.80 -0.67 1 0.80 Raleigh 6N 83 37 63 0.76 1 0.81 1.66 Southeast Hattiesburg 85 42 65 64 1 1.36 0.03 1														
Vicksburg 84 45 67 0.49 1 2.53 Woodville 4ESE 83 41 67 64 3 0.05 -1.43 1 0.93 Extreme/Average 87 31 65 63 2 0.28 -1.17 1 2.12 South-Central 88 40 64 62 2 0.00 -1.32 0 1.60 Columbia 86 43 67 63 4 1.05 -0.36 1 2.57 Monticello 88 40 67 62 5 0.80 -0.67 1 0.80 Raleigh 6N 83 37 63 0.76 1 0.81 1.66 Southeast 88 37 65 63 2 0.65 -0.75 1 1.66 Southeast 1 4.45 4.45 4.45 4.45 4.45 4.45 4.45 4.45 4.45 4.45														
Woodville 4ESE 83 41 67 64 3 0.05 -1.43 1 0.93 Extreme/Average 87 31 65 63 2 0.28 -1.17 1 2.12 South-Central 83 40 64 62 2 0.00 -1.32 0 1.60 Columbia 86 43 67 63 4 1.05 -0.36 1 2.57 Monticello 88 40 67 62 5 0.80 -0.67 1 0.80 Raleigh 6N 83 37 63 0.76 1 0.81 1.66 Southeast 88 37 65 63 2 0.65 -0.75 1 1.66 Southeast 4 4 62 2 0.09 -1.13 1 1.60 Newton Exp 83 39 63 60 3 0.95 -0.52 1 3.41														
Extreme/Average 87 31 65 63 2 0.28 -1.17 1 2.12 South-Central Collins 83 40 64 62 2 0.00 -1.32 0 1.60 Columbia 86 43 67 63 4 1.05 -0.36 1 2.57 Monticello 88 40 67 62 5 0.80 -0.67 1 0.80 Raleigh 6N 83 37 63 0.76 1 0.81 Extreme/Average 88 37 65 63 2 0.65 -0.75 1 1.66 Southeast Hattiesburg 85 42 65 64 1 1.36 0.03 1 4.45 Laurel 85 42 64 62 2 0.09 -1.13 1 1.60 Newton Exp 83 39 63 60 3 0.95 -0.52 1 3.41 Waynesboro 2W 86 41 66 62 4 1.77 0.66 1 2.99 Extreme/Average 86 39 65 62 3 1.04 -0.27 1 3.11		_			64	3		-1.43						
South-Central 83 40 64 62 2 0.00 -1.32 0 1.60 Columbia 86 43 67 63 4 1.05 -0.36 1 2.57 Monticello 88 40 67 62 5 0.80 -0.67 1 0.80 Raleigh 6N 83 37 63 0.76 1 0.81 Extreme/Average 88 37 65 63 2 0.65 -0.75 1 1.66 Southeast Hattiesburg 85 42 65 64 1 1.36 0.03 1 4.45 Laurel 85 42 64 62 2 0.09 -1.13 1 1.60 Newton Exp 83 39 63 60 3 0.95 -0.52 1 3.41 Waynesboro 2W 86 41 66 62 4 1.77 0.66 1														
Collins 83 40 64 62 2 0.00 -1.32 0 1.60 Columbia 86 43 67 63 4 1.05 -0.36 1 2.57 Monticello 88 40 67 62 5 0.80 -0.67 1 0.80 Raleigh 6N 83 37 63 0.76 1 0.81 Extreme/Average 88 37 65 63 2 0.65 -0.75 1 1.66 Southeast Hattiesburg 85 42 65 64 1 1.36 0.03 1 4.45 Laurel 85 42 64 62 2 0.09 -1.13 1 1.60 Newton Exp 83 39 63 60 3 0.95 -0.52 1 3.41 Waynesboro 2W 86 41 66 62 4 1.77 0.66 1 2														
Columbia 86 43 67 63 4 1.05 -0.36 1 2.57 Monticello 88 40 67 62 5 0.80 -0.67 1 0.80 Raleigh 6N 83 37 63 0.76 1 0.81 Extreme/Average 88 37 65 63 2 0.65 -0.75 1 1.66 Southeast Hattiesburg 85 42 65 64 1 1.36 0.03 1 4.45 Laurel 85 42 64 62 2 0.09 -1.13 1 1.60 Newton Exp 83 39 63 60 3 0.95 -0.52 1 3.41 Waynesboro 2W 86 41 66 62 4 1.77 0.66 1 2.99 Extreme/Average 86 39 65 62 3 1.04 -0.27 1 3.11<		83	40	64	62	2	0.00		0	1.60				
Raleigh 6N	Columbia			67					1					
Extreme/Average 88 37 65 63 2 0.65 -0.75 1 1.66 Southeast Hattiesburg 85 42 65 64 1 1.36 0.03 1 4.45 Laurel 85 42 64 62 2 0.09 -1.13 1 1.60 Newton Exp 83 39 63 60 3 0.95 -0.52 1 3.41 Waynesboro 2W 86 41 66 62 4 1.77 0.66 1 2.99 Extreme/Average 86 39 65 62 3 1.04 -0.27 1 3.11					62	5		-0.67	1					
Southeast 85 42 65 64 1 1.36 0.03 1 4.45 Laurel 85 42 64 62 2 0.09 -1.13 1 1.60 Newton Exp 83 39 63 60 3 0.95 -0.52 1 3.41 Waynesboro 2W 86 41 66 62 4 1.77 0.66 1 2.99 Extreme/Average 86 39 65 62 3 1.04 -0.27 1 3.11														
Hattiesburg 85 42 65 64 1 1.36 0.03 1 4.45 Laurel 85 42 64 62 2 0.09 -1.13 1 1.60 Newton Exp 83 39 63 60 3 0.95 -0.52 1 3.41 Waynesboro 2W 86 41 66 62 4 1.77 0.66 1 2.99 Extreme/Average 86 39 65 62 3 1.04 -0.27 1 3.11		88	37	65	63	2	0.65	-0.75	1	1.66				
Laurel 85 42 64 62 2 0.09 -1.13 1 1.60 Newton Exp 83 39 63 60 3 0.95 -0.52 1 3.41 Waynesboro 2W 86 41 66 62 4 1.77 0.66 1 2.99 Extreme/Average 86 39 65 62 3 1.04 -0.27 1 3.11														
Newton Exp 83 39 63 60 3 0.95 -0.52 1 3.41 Waynesboro 2W 86 41 66 62 4 1.77 0.66 1 2.99 Extreme/Average 86 39 65 62 3 1.04 -0.27 1 3.11	C													
Waynesboro 2W 86 41 66 62 4 1.77 0.66 1 2.99 Extreme/Average 86 39 65 62 3 1.04 -0.27 1 3.11				-										
Extreme/Average 86 39 65 62 3 1.04 -0.27 1 3.11														
	_													
State 88 31 64 61 3 0.61 -0.73 1 2.93		88	31	64	61	3	0.61	-0.73	I	2.93			<u> </u>	

DFN = Departure from Normal.